

AUTHOR INDEX

| | | |
|---------------------|---|-----------|
| AdamEP | | |
| Adams, E. P. | Effect of soil compaction on development and yield of sugar beets..... | 11(3) 236 |
| AfanMM | | |
| Afanasiiev, M. M. | Testing of inbred lines of sugar beets for resistance to Aphanomyces, Rhizoctonia and Fusarium root rots..... | 11(6) 542 |
| | Simulated hail injury to sugar beets..... | 11(3) 196 |
| AlleHP | | |
| Alley, H. P. | The effects of dalapon on pectic substances and on root growth of sugar beets..... | 11(5) 365 |
| | Movement and persistence of endothal (3,6-endoxohexahydrophthalic acid) as influenced by soil texture, temperature, and moisture levels..... | 11(4) 287 |
| AssalG | | |
| Assalini, G. | Ion exchange process for beet sugar refining I. Purification of beet dif- fusion juice..... | 11(4) 341 |
| | Ion exchange process for beet sugar refining II. Purification of sugar solutions..... | 11(4) 349 |
| BandJD | | |
| Bandeen, J. D. | An investigation of the effects of various methods of herbicide application on weed control in sugar beets..... | 11(2) 151 |
| | Further studies on the control of weeds in sugar beets with herbicides..... | 11(2) 160 |
| BarbRD | | |
| Barbour, Royal D. | Carbohydrate metabolism of sugar beets I. Respiratory catabolism of mono and disaccharides..... | 11(5) 436 |
| | Carbohydrate metabolism of sugar beets II. Catabolic pathways for acetate, glyoxylate, pyruvate, glucose and gluconate..... | 11(5) 443 |
| BarmRD | | |
| Barmington, R. D. | Planter tests and seed preparation using monogerm sugar beet seed..... | 11(6) 469 |
| BennCW | | |
| Bennett, C. W. | Acquisition and transmission of curly top virus by artificially fed beet leafhoppers..... | 11(8) 637 |
| BennWH | | |
| Bennett, William H. | The variability of sugar beet constituents as influenced by year, location, variety, and nitrogen fertilization..... | 11(7) 547 |
| BergeP | | |
| Bergen, P. | An improved method for the evaluation and selection of sugar beets (<i>Beta vulgaris</i> L.) I. The selection of individual plants..... | 11(8) 668 |
| | An evaluation of insecticides for control of the sugar beet root maggot in southern Alberta..... | 11(6) 485 |
| | A comparison of methods of applying heptachlor for control of the sugar beet root maggot in southern Alberta..... | 11(6) 491 |
| BlakGR | | |
| Blake, G. R. | Effect of soil compaction on development and yield of sugar beets..... | 11(3) 236 |
| BoawLC | | |
| Boawn, Louis C. | Yield and zinc content of sugar beets as affected by nitrogen source, rate of nitrogen, and zinc application..... | 11(4) 279 |
| BoelDH | | |
| Boelter, D. H. | Effect of soil compaction on development and yield of sugar beets..... | 11(3) 236 |
| BohmDW | | |
| Bohmont, D. W. | The effects of dalapon on pectic substances and on root growth of sugar beets..... | 11(5) 365 |
| | Movement and persistence of endothal (3,6-endoxohexahydrophthalic acid) as influenced by soil texture, temperature, and moisture levels..... | 11(4) 287 |

| | |
|--|-----------|
| BrandG | |
| Brandoli, G. | |
| Ion exchange process for beet sugar refining I. Purification of beet diffusion juice | 11(4) 341 |
| Ion exchange process for beet sugar refining II. Purification of sugar solutions | 11(4) 349 |
| BrewHE | |
| Brewbaker, H. E. | |
| Development of monogerm varieties of sugar beets by the backcross method | 11(3) 252 |
| BurtFC | |
| Burton, Francis C. | |
| An examination of the effectiveness of various sanitizing agents against yeasts isolated from liquid sugar and sucrose-corn syrup blends | 11(5) 399 |
| BushHL | |
| Bush, H. L. | |
| Comparison of statistical designs for a large number of entries of sugar beet strains | 11(4) 306 |
| Development of monogerm varieties of sugar beets by the backcross method | 11(3) 252 |
| ComeRD | |
| Comes, R. D. | |
| Movement and persistence of endothal (3,6-endoxohexahydrophthalic acid) as influenced by soil texture, temperature, and moisture levels | 11(4) 287 |
| ConwDE | |
| Conwell, D. E. | |
| Development of air conditioned, compartmented greenhouse | 11(1) 44 |
| CormCE | |
| Cormany, C. E. | |
| Use of unit block selection method for yield, sugar and purity in sugar beets | 11(4) 323 |
| CoudDC | |
| Coudriet, D. C. | |
| Beet leafhopper control in sugar beets by seed or soil treatment | 11(1) 15 |
| CrawCL | |
| Crawford, C. L. | |
| Yield and zinc content of sugar beets as affected by nitrogen source, rate of nitrogen, and zinc application | 11(4) 279 |
| DaviJF | |
| Davis, J. F. | |
| The effect of phosphorus fertilization and time of application on chemical composition of foliage and on yield, sucrose content and percent purity of sugar beet roots | 11(5) 406 |
| An analysis of production practices of sugar beet farmers in Michigan, 1958 | 11(4) 313 |
| DorsHE | |
| Dorst, Howard E. | |
| Experimental control of the beet leafhopper on sugar beets grown for seed | 11(1) 12 |
| DudlJW | |
| Dudley, John W. | |
| Population genetic studies on sodium and potassium in sugar beets (<i>Beta vulgaris</i> L.) | 11(2) 97 |
| Effects of sodium 2, 3-dichloroisobutyrate, a selective gametocide, on sugar beets | 11(1) 25 |
| DuffJE | |
| Duffus, James E. | |
| Effects of beet western and beet yellows viruses on amino acids in sugar beet | 11(7) 629 |
| EisFG | |
| Eis, F. G. | |
| Determination of microorganisms in sugar products by the Millipore method | 11(2) 137 |
| FifeJM | |
| Fife, J. M. | |
| Effects of beet western and beet yellows viruses on amino acids in sugar beet | 11(7) 629 |
| Changes in the concentration of amino acids in sugar beet plants induced by virus yellows | 11(4) 327 |
| FrankMG | |
| Frakes, M. G. | |
| An analysis of production practices of sugar beet farmers in Michigan, 1958 | 11(4) 313 |

| | | |
|--|-------|-----|
| GaskJO | | |
| Gaskill, John O. | | |
| Tests of foreign introductions of <i>Beta vulgaris</i> L. for resistance to <i>Aphanomyces cochlioides</i> Drechs. and <i>Rhizoctonia solani</i> Kuehn | 11(8) | 656 |
| Artificial exposure of sugar beets to <i>Rhizoctonia solani</i> | 11(7) | 574 |
| Some chemical aspects of resistance to <i>Cercospora</i> leaf spot in sugar beets | 11(6) | 457 |
| GoodAE | | |
| Goodban, A. E. | | |
| Effects of sugar beet nitrogen on juice purification | 11(6) | 533 |
| Some effects of virus yellows on sugar beet processing quality | 11(2) | 164 |
| GrecDA | | |
| Greenwood, Delbert A. | | |
| The variability of sugar beet constituents as influenced by year, location, variety, and nitrogen fertilization | 11(7) | 547 |
| GrifGD | | |
| Griffin, Gerald D. | | |
| Evaluation of Telone and D-D in relation to planting time and fallowing for control of sugar beet nematode, <i>Heterodera schachtii</i> Schmidt | 11(6) | 515 |
| HaldHE | | |
| Halden, H. E. | | |
| Determination of microorganisms in sugar products by the Millipore method | 11(2) | 137 |
| HallRE | | |
| Hallbeck, R. E. | | |
| Preparation of melibiase-invertase for sugar beet molasses assay of raffinose | 11(4) | 302 |
| HanzPC | | |
| Hanzas, P. C. | | |
| Saponin survey of various factories of the 1958 campaign | 11(6) | 519 |
| HarpAM | | |
| Harper, A. M. | | |
| An evaluation of insecticides for control of the sugar beet root maggot in southern Alberta | 11(6) | 485 |
| A comparison of methods of applying heptachlor for control of the sugar beet root maggot in southern Alberta | 11(6) | 491 |
| HarriL | | |
| Harris, L. | | |
| Incidence of <i>Rhizoctonia</i> crown rot of sugar beets in irrigated crop rotation | 11(2) | 128 |
| HarriM | | |
| Harrison, Merle | | |
| Some chemical aspects of resistance to <i>Cercospora</i> leaf spot in sugar beets | 11(6) | 457 |
| HeinSM | | |
| Heiner, Sylvester M. | | |
| The design, operation and economic evaluation of a gas-fired lime kiln | 11(2) | 168 |
| HepwHM | | |
| Hepworth, H. M. | | |
| The effects of dalapon on pectic substances and on root growth of sugar beets | 11(5) | 365 |
| HillFJ | | |
| Hills, F. J. | | |
| Combinations of specific fungicides for sugar beet seed treatment | 11(1) | 75 |
| HillOA | | |
| Hills, Orin A. | | |
| Beet leafhopper control in sugar beets by seed or soil treatment | 11(1) | 15 |
| HoffJC | | |
| Hoff, John C. | | |
| Northern California sugar beet quality survey | 11(4) | 358 |
| HogaGJ | | |
| Hogaboam, G. J. | | |
| Plastic chambers for humidity and temperature control in vegetative propagation and growth of sugar beets | 11(8) | 661 |
| Radiographing as a method of observing some seed characters in monogerm sugar beet fruits | 11(7) | 605 |
| HursRL | | |
| Hurst, Rex L. | | |
| The variability of sugar beet constituents as influenced by year, location, variety, and nitrogen fertilization | 11(7) | 547 |
| ImpeCW | | |
| Impey, C. Walter | | |
| Development of air conditioned, compartmented greenhouse | 11(1) | 44 |

| | | |
|-----------------------|--|-----------|
| JensLT | | |
| Jensen, L. T. | Bulk and liquid sugar production at the Brookfield (Chicago) Terminal..... | 11(2) 143 |
| JeweHK | | |
| Jewell, H. K. | Beet leafhopper control in sugar beets by seed or soil treatment..... | 11(1) 15 |
| JohnHP | | |
| Johnson, Harvey P. H. | President's message | 11(1) 1 |
| JohnJR | | |
| Johnson, J. R. | The occurrence and elimination of saponin in process juice | 11(3) 201 |
| | The role of nitrites in promoting high ash values in white sugar | 11(3) 258 |
| JohnRT | | |
| Johnson, R. T. | Germination-emergence of sugar beet seed as affected by treatment and storage | 11(8) 649 |
| | Studies on backcross generations and advanced generations of interspecific hybrids between <i>B. vulgaris</i> and <i>B. webbiana</i> | 11(5) 429 |
| JoneGE | | |
| Jones, G. E. | An investigation of the effects of various methods of herbicide application on weed control in sugar beets | 11(2) 151 |
| | Further studies on the control of weeds in sugar beets with herbicides .. | 11(2) 160 |
| JorgEC | | |
| Jorgenson, Edsel C. | Evaluation of Telone and D-D in relation to planting time and fallowing for control of sugar beet nematode, <i>Heterodera schachtii</i> Schmidt..... | 11(6) 515 |
| KloolLa | | |
| Kloor, L. A. | The Impingatron seed treater..... | 11(3) 189 |
| KnowRE | | |
| Knowles, R. E. | Effects of sugar beet nitrogen on juice purification | 11(6) 533 |
| KohnRW | | |
| Kohn, R. W. | Saponin survey of various factories of the 1958 campaign | 11(6) 519 |
| LangeA | | |
| Lange, Alex, Jr. | The Impingatron seed treater..... | 11(3) 189 |
| LeacLD | | |
| Leach, L. D. | Combinations of specific fungicides for sugar beet seed treatment | 11(1) 75 |
| LeBaHM | | |
| LeBaron, Homer M. | The variability of sugar beet constituents as influenced by year, location, variety, and nitrogen fertilization | 11(7) 547 |
| LectDD | | |
| Leethem, D. D. | Preparation of melibiase-invertase for sugar beet molasses assay of raffinose .. | 11(4) 302 |
| | Determination of microorganisms in sugar products by the Millipore method | 11(2) 137 |
| LillCE | | |
| Lilly, C. E. | An evaluation of insecticides for control of the sugar beet root maggot in southern Alberta..... | 11(6) 485 |
| | A comparison of methods of applying heptachlor for control of the sugar beet root maggot in southern Alberta..... | 11(6) 491 |
| LydaSD | | |
| Lyda, Stuart D. | Simulated hail injury to sugar beets..... | 11(3) 196 |
| MacWHS | | |
| MacWithey, H. S. | In vitro inoculation of sugar beet seedlings with <i>Aphanomyces cochlioides</i> Drechs. | 11(4) 309 |
| McAIDR | | |
| McAllister, DeVere R. | The variability of sugar beet constituents as influenced by year, location, variety, and nitrogen fertilization..... | 11(7) 547 |

| | | |
|---|-------|-----|
| McCrRM | | |
| McCready, R. M. | | |
| Effects of sugar beet nitrogen on juice purification..... | 11(6) | 533 |
| Compositional changes in diffusion juices from stored sugar beets..... | 11(3) | 206 |
| Some effects of virus yellows on sugar beet processing quality..... | 11(2) | 164 |
| McFajS | | |
| McFarlane, J. S. | | |
| New hybrid sugar beet varieties for California..... | 11(6) | 500 |
| MillIK | | |
| Mills, I. K. | | |
| Simulated hail injury to sugar beets..... | 11(3) | 196 |
| MorgAI | | |
| Morgan, A. I. | | |
| Effects of sugar beet nitrogen on juice purification..... | 11(6) | 533 |
| Some effects of virus yellows on sugar beet processing quality..... | 11(2) | 164 |
| MurpAM | | |
| Murphy, Albert M. | | |
| Increased yield and purity of hybrids from the Ovana fodder beet..... | 11(7) | 565 |
| New hybrid sugar beet varieties for California..... | 11(6) | 500 |
| Interaction of components of impurity and location in hybrids from inbred lines of sugar beets..... | 11(1) | 37 |
| NelsCE | | |
| Nelson, C. E. | | |
| Yield and zinc content of sugar beets as affected by nitrogen source, rate of nitrogen, and zinc application..... | 11(4) | 279 |
| NelsRT | | |
| Nelson, R. T. | | |
| Selection of sugar beets for tolerance to endothal herbicide..... | 11(2) | 155 |
| NemazJ | | |
| Nemazi, Joseph | | |
| A preliminary study of the relationship of the sugar beet nematode <i>Heterodera schachtlii</i> , to three varieties of red tomatoes..... | 11(6) | 482 |
| NewtoW | | |
| Newton, Whitney, II | | |
| Bulk and liquid sugar production at the Brookfield (Chicago) Terminal..... | 11(2) | 143 |
| NichoG | | |
| Nichol, Grant | | |
| The effect of phosphorus fertilization and time of application on chemical composition of foliage and on yield, sucrose content and percent purity of sugar beet roots..... | 11(5) | 406 |
| NichPS | | |
| Nicholes, Paul S. | | |
| An examination of the effectiveness of various sanitizing agents against yeasts isolated from liquid sugar and sucrose-corn syrup blends..... | 11(5) | 399 |
| NielHM | | |
| Nielsen, Harold M. | | |
| The variability of sugar beet constituents as influenced by year, location, variety, and nitrogen fertilization..... | 11(7) | 547 |
| OgdeDB | | |
| Ogden, D. B. | | |
| Effect of soil compaction on development and yield of sugar beets..... | 11(3) | 236 |
| OhkiK | | |
| Ohki, Kenneth | | |
| Preparation and storage of beet pulp samples for sucrose analysis..... | 11(1) | 68 |
| OldeDL | | |
| Oldemeyer, Donald L. | | |
| Evaluation of combining ability in self-fertile lines of sugar beets using male-sterile testers..... | 11(2) | 175 |
| OldeRK | | |
| Oldemeyer, R. K. | | |
| Use of an annual tester for the monogerm conversion of inbred lines of sugar beets..... | 11(7) | 591 |
| Comparison of statistical designs for a large number of entries of sugar beet strains..... | 11(4) | 306 |
| Development of monogerm varieties of sugar beets by the backcross method..... | 11(3) | 252 |
| Selection of sugar beets for tolerance to endothal herbicide..... | 11(2) | 155 |
| OlsoLE | | |
| Olson, L. Elmer | | |
| The variability of sugar beet constituents as influenced by year, location, variety, and nitrogen fertilization..... | 11(7) | 547 |

| | |
|---|-----------|
| OwenFV | |
| Owen, F. V. | |
| Increased yield and purity of hybrids from the Ovana fodder beet..... | 11(1) 565 |
| New hybrid sugar beet varieties for California..... | 11(6) 500 |
| Interaction of components of impurity and location in hybrids from inbred lines of sugar beets..... | 11(1) 37 |
| PaynMG | |
| Payne, Merle G. | |
| Some chemical-genetic studies pertaining to quality in sugar beets (<i>Beta vulgaris</i> L.)..... | 11(7) 610 |
| Some chemical aspects of resistance to <i>Cercospora</i> leaf spot in sugar beets..... | 11(6) 457 |
| PeteDF | |
| Peterson, Donald F. | |
| Effect of gibberellic acid on sucrose, purity and weight of sugar beets..... | 11(4) 320 |
| Use of unit block selection method for yield, sugar and purity in sugar beets..... | 11(4) 323 |
| PetoFH | |
| Peto, F. H. | |
| Processing monogerm seed..... | 11(4) 334 |
| PierVG | |
| Pierson, Victor G. | |
| Artificial exposure of sugar beets to <i>Rhizoctonia solani</i> | 11(7) 574 |
| PoweLR | |
| Powers, LeRoy | |
| Some chemical-genetic studies pertaining to quality in sugar beets (<i>Beta vulgaris</i> L.)..... | 11(7) 610 |
| Population genetic studies on sodium and potassium in sugar beets (<i>Beta vulgaris</i> L.)..... | 11(2) 97 |
| PriceF | |
| Price, Frank | |
| A continuous sugar centrifugal..... | 11(3) 243 |
| RemmEE | |
| Remmenga, E. E. | |
| Some chemical-genetic studies pertaining to quality in sugar beets (<i>Beta vulgaris</i> L.)..... | 11(7) 610 |
| RoreFS | |
| Rorem, E. S. | |
| Compositional changes in diffusion juices from stored sugar beets..... | 11(3) 206 |
| RushGE | |
| Rush, George E. | |
| Evaluation of combining ability in self-fertile lines of sugar beets using male-sterile testers..... | 11(2) 175 |
| RyseGK | |
| Ryser, George K. | |
| Increased yield and purity of hybrids from the Ovana fodder beet..... | 11(7) 565 |
| Interaction of components of impurity and location in hybrids from inbred lines of sugar beets..... | 11(1) 37 |
| Savith | |
| Savitsky, Helen | |
| Viable diploid, triploid and tetraploid hybrids between <i>Beta vulgaris</i> and species of the section <i>Pastellares</i> | 11(3) 215 |
| Meiosis in an F ₁ hybrid between a Turkish wild beet (<i>Beta vulgaris</i> , sp. <i>maritima</i>) and <i>Beta procumbens</i> | 11(1) 49 |
| SaviVF | |
| Savitsky, V. F. | |
| Sucrose and weight of root in tetraploid monogerm and multigerm sugar beet populations under different mating systems..... | 11(8) 676 |
| SchiRA | |
| Schleusener, Richard A. | |
| Hailstorm damage to crops in northeastern Colorado and an analysis of precipitation anomalies associated with a cloud-seeding program in 1959..... | 11(5) 413 |
| SchnCL | |
| Schneider, C. L. | |
| Tests of foreign introductions of <i>Beta vulgaris</i> L. for resistance to <i>Aphanomyces cochliformis</i> Drechs. and <i>Rhizoctonia solani</i> Kuhn..... | 11(8) 656 |
| SchoKW | |
| Schoenrock, Karlheinz, W. R. | |
| The role of nitrites in promoting high ash values in white sugar..... | 11(3) 258 |

| | | |
|---|-------|-----|
| SchuML | | |
| Schuster, M. L. | | |
| Incidence of <i>Rhizoctonia</i> crown rot of sugar beets in irrigated crop rotation..... | 11(2) | 128 |
| SexsJJ | | |
| Sexsmith, J. J. | | |
| Chemical control of wild oats (<i>Avena fatua</i> L.) in sugar beets..... | 11(3) | 268 |
| SharEL | | |
| Sharp, E. L. | | |
| Testing of inbred lines of sugar beets for resistance to <i>Aphanomyces</i> , <i>Rhizoctonia</i> and <i>Fusarium</i> root rots..... | 11(6) | 542 |
| SmitCH | | |
| Smith, C. H. | | |
| Interaction of components of impurity and location in hybrids from inbred lines of sugar beets..... | 11(1) | 37 |
| SmitPB | | |
| Smith, P. B. | | |
| Development of air conditioned, compartmented greenhouse..... | 11(1) | 44 |
| StarJB | | |
| Stark, J. B. | | |
| The composition of beet molasses with particular reference to nitrogenous compounds..... | 11(6) | 507 |
| SteeAE | | |
| Steele, Arnold E. | | |
| Effect of Nabam solutions on the emergence of larvae from cysts of <i>Heterodera schachtii</i> Schmidt..... | 11(6) | 528 |
| StoutM | | |
| Stout, Myron | | |
| Increased yield and purity of hybrids from the Ovana fodder beet..... | 11(7) | 565 |
| A new look at some nitrogen relationships affecting the quality of sugar beets..... | 11(5) | 388 |
| Interaction of components of impurity and location in hybrids from inbred lines of sugar beets..... | 11(1) | 37 |
| SwitCM | | |
| Switzer, C. M. | | |
| An investigation of the effects of various methods of herbicide application on weed control in sugar beets..... | 11(2) | 151 |
| Further studies on the control of weeds in sugar beets with herbicides..... | 11(2) | 160 |
| TeranR | | |
| Teranishi, R. | | |
| Effects of sugar beet nitrogen on juice purification..... | 11(6) | 533 |
| Some effects of virus yellows on sugar beet processing quality..... | 11(2) | 164 |
| ThurID | | |
| Thurlow, Don | | |
| The effect of phosphorus fertilization and time of application on chemical composition of foliage and on yield, sucrose content and percent purity of sugar beet roots..... | 11(5) | 406 |
| UlricA | | |
| Ulrich, Albert | | |
| Variability of sugar beet plants grown in pots without competition for light, water and nutrients..... | 11(7) | 595 |
| Variety climate interactions of sugar beet varieties in simulated climates..... | 11(5) | 376 |
| Preparation and storage of beet pulp samples for sucrose analysis..... | 11(1) | 68 |
| ValeAC | | |
| Valcarce, A. C. | | |
| Beet leafhopper control in sugar beets by seed or soil treatment..... | 11(1) | 15 |
| VietFG | | |
| Viets, Frank G., Jr. | | |
| Yield and zinc content of sugar beets affected by nitrogen source, rate of nitrogen, and zinc application..... | 11(4) | 279 |
| ViglDR | | |
| Viglierchio, David R. | | |
| <i>Heterodera schachtii</i> , hatching properties of field importance..... | 11(4) | 294 |
| WalkHG | | |
| Walker, H. G., Jr. | | |
| Effects of sugar beet nitrogen on juice purification..... | 11(6) | 533 |
| Compositional changes in diffusion juices from stored sugar beets..... | 11(3) | 206 |
| Some effects of virus yellows on sugar beet processing quality..... | 11(2) | 164 |

| | | |
|--------------------|--|-----------|
| WangCH | | |
| Wang, C. H. | Carbohydrate metabolism of sugar beets I. Respiratory catabolism of mono and disaccharides | 11(5) 436 |
| | Carbohydrate metabolism of sugar beets II. Catabolic pathways for acetate, glyoxylate, pyruvate, glucose and gluconate | 11(5) 443 |
| WheaGW | | |
| Wheatley, G. W. | Germination-emergence of sugar beet seed as affected by treatment and storage | 11(8) 649 |
| | Studies on backcross generations and advanced generations of interspecific hybrids between <i>B. vulgaris</i> and <i>B. webbiana</i> | 11(5) 429 |
| WoodRR | | |
| Wood, R. R. | Selection of sugar beets for tolerance to endothal herbicide | 11(2) 155 |
| | Development of air conditioned, compartmented greenhouse | 11(1) 44 |
| WoolDG | | |
| Woolley, Donald G. | The variability of sugar beet constituents as influenced by year, location, variety, and nitrogen fertilization | 11(7) 547 |