

Artificial Intelligence-based Insect Traps for Monitoring Sugarbeet Root Maggot Fly Activity



Mark Boetel¹, Jacob Rikhus¹, Reed Thoma¹, and Erik Wenninger²

¹School of Natural Resource Sciences, North Dakota State University

²Dept. of Entomology, Plant Pathology, and Nematology, Univ. of Idaho

Artificial Intelligence

- Teachable machines that react to information like humans
- Machine “learns” to recognize information patterns & performs a function controlled by an algorithm
- Machine continues “learning” based on ongoing feedback into algorithm

Our Experiment

- Two A.I.-based smart traps developed by Spensa Technologies® (bought out by DTN)
 - ✓ **Smart Trap™**: HD digital images of trapped insects on a sticky card inside trap housing
 - ✓ **Z-Trap™**: electrical impedance from insect's body on “bug zapper” style electrodes
- Traps ID target insect, send data to a website via a cellular network

Treatments

1. Smart Trap™
2. Z-Trap™
3. Sticky Stake*
4. Smart Trap, *baited*
5. Z-Trap, *baited*
6. Sticky Stake, *baited*



*Blickenstaff, C.C., and R.E. Peckenpaugh. 1976. J. Am. Soc. Sugar Beet Technol. 19: 112–117.

Materials & Methods

Location: St. Thomas, ND

Design: Randomized Complete Block (4 replications)

Trap spacing: 70 ft apart within a replicate (reps 150 ft apart)

Assessments: Capture rate, ID & reporting accuracy (every 3-4 d)

Duration: 9 trapping periods (early June to early July)

Z-Trap






Z-Trap electrodes




Smart Trap™

June 13



June 14



Fields Mark Boetel: NDSU, St. Thomas SUGAR BEET

Weather Crop Planning Tr

YOU ARE VIEWING A PAST SEASON (2018).

Mark Boetel NDSU St. Thomas

	06/22	06/23	06/24	12/31
010C SBRM24	55	38	8	
0174 SBRM24	29	34	20	
0177 SBRM24	35	31	6	
0178 SBRM24	32	31	15	
0185 SBRM24	28	35	1	
0188 SBRM24	21	29	6	
020D SBRM24	30	41	13	
0255 SBRM24	28	28	13	
0328 SBRM24	92	42	19	
0335 SBRM24	92	50	24	

1/3

Save

Add: + Trap + DTN Trap + Puffer®

Puffer® is a registered trademark of Suteria, LLC.

Export

Group By

Day

Week

No Grouping


Date range

All Dates

Date Range

1/1/2023 - 12/31/2023

Export




BOTHISTINE BOTHISTINE BOTHISTINE BOTHISTINE BOTHISTINE




St. Thomas 75.9 acres

Sugar Beet

SBRM Fly Capture Rates



SBRM Trap Accuracy



Conclusions

- Both A.I.-based traps successfully captured SBRM flies
- Flies recovered after being zapped in Z-traps (a kill agent was used in collection containers after 1st year)
- Smart Trap™ accuracy was 82-84% (without new feedback to algorithm)
- Feedback is being compiled to further train algorithm
- Findings are preliminary (more data to process)
- Smart Trap™ has great potential for monitoring SBRM

Acknowledgments

- Sugarbeet Research and Education Board of MN & ND
- USDA National Institute of Food and Agriculture
- Cooperators: Wayne & Austin Lessard
- Spensa and DTN

Thank you!

Sugarbeet
Root Maggot
Control Trials

NDSU EXTENSION
SERVICE

Contact Information

Office: 701-231-7901

Cell: 701-799-4554

Email: mark.boetel@ndsu.edu

Website: www.ndsu.edu/entomology/faculty/boetel.htm